PRICE LIST

Effective From 01.2.2025

salzer

Established in 1985 in a time-bound collaboration with Saelzer Schaltegerate Fabrik GmbH to manufacture rotary switches, and headquartered in Coimbatore, Salzer has grown into an independent multi-product entity with a wide basket of Electrical Products, covering a variety of applications for the Domestic, Industrial & Automobile segments.

With a wide network and business association with a major engineering conglomerate on specific product ranges in domestic market, Salzer products are also available as a preferred choice in over 40 countries worldwide.

salzer

Contents

ROTARY SWITCHES

Cam Operated Rotary Switches	4
Spring Return Switches	5
Multi Step Switches	6
Instrumentation Selector Switches	8
Motor Control Switches	9
Breaker Control Switches	10
Accessories	11
Ordering Code for Rotary Switches	12
Mounting Feasibility	13

Salzer other Products Refer Seperate Price List

Rotary Switch are Marketed by

Lauritz Knudsen
Electrical & Automation

GST 18%

Cam Operated Rotary Switches (8536)

Isolators Switches
(ON-OFF Switches)

60° Operation	90° Operation	90° Operation Complete Rotation	Description	M.R.P. (₹) Per Unit								
Cat. No.				6A (SAB13)	10A (SBB13)	16A (SCB03)	25A (SEB03)	32A (SFB03)	40A (SGB03)	63A (SIB03)	100A (SKB03)	200A (SNB03)
61001	61191	61195	1 Pole ON - OFF	160	265	365	400	500	645	750	3940	5095
61002	61192	61198	2 Pole ON - OFF	205	300	415	495	585	775	960	4930	6640
61003*	-	-	3 Pole ON - OFF	220	365	750	935	1040	1300	1870	6680	8700
-	61199	61197		220	365	485	650	725	905	1295	6075	8290
61004	61194	61196	4 Pole ON - OFF	275	405	525	785	845	1025	1550	7030	9860

* Motor Duty Switch (AC-3 Duty)

Offered upto 12 Pole

Changeover Switches
(Local - Remote / Auto - Manual Switches)

60° With Center OFF	90° With Center OFF	90° Without OFF with Complete Rotation	Description	M.R.P. (₹) Per Unit								
Cat. No.				6A (SAB13)	10A (SBB13)	16A (SCB03)	25A (SEB03)	32A (SFB03)	40A (SGB03)	63A (SIB03)	100A (SKB03)	200A (SNB03)
61025	61151	61037	1 P 2W	205	335	460	500	565	750	1020	5095	7370
61026	61152	61038	2 P 2W	275	400	525	680	785	1030	1550	7455	11230
61027	61153	61039	3 P 2W	335	495	695	1025	1105	1295	2075	9660	14370
61028	61154	61040	4 P 2W	415	580	805	1350	1415	1565	2605	12200	17940

Phase Changeover
(PS Series Switches)

Cat. No.	Description	M.R.P. (₹) Per Unit			
		25A (PEB03)	32A (PFB03)	40A (PGB03)	63A (PIB03)
61060	1 P 3W with OFF	430	530	780	876

Phase Changeover SS enclosure

Cat. No.	Description	M.R.P. (₹) Per Unit			
		25A (E)	32A (F)	40A (G)	63A (I)
72347PXM17TDYR	PS Series Switches in SS enclosure	3420	3600	5320	5450

Note: Prices are available on request for higher than 4 Pole ON-OFF version. Please contact nearest L&T branch office for prices.

Rotary Switches

Spring Return Switches

ON - OFF Spring Return Switches

Description	Cat. No.	M.R.P. (₹) Per Unit	
		16A (SCB03)	25A (SEB03)
1 P ON - OFF	61351	785	1225
2 P ON - OFF	61352	825	1385
3 P ON - OFF	61353	935	1655
4 P ON - OFF	61354	1100	1805

Double Throw with Spring Return Switches

Description	Cat. No.	M.R.P. (₹) Per Unit	
		16A (SCB03)	25A (SEB03)
1 P 2W W/OFF Spring Return	61361	825	1385
2 P 2W W/OFF Spring Return	61362	1215	1805
3 P 2W W/OFF Spring Return	61363	1325	2255

One Side Spring Return Switches

Description	Cat. No.	M.R.P. (₹) Per Unit	
		16A (SCB03)	25A (SEB03)
1 P 3W Spring Return - OFF from 1	61364	750	1385
2 P 3W Spring Return - OFF from 1	61365	1100	1805
3 P 3W Spring Return - OFF from 1	61369	1205	2255

Spring Return Switches without OFF

Description	Cat. No.	M.R.P. (₹) Per Unit	
		16A (SCB03)	25A (SEB03)
1 P 2W Spring Return - from 2 to 1	61371	750	1385
2 P 2W Spring Return - from 2 to 1	61372	1100	1805
3 P 2W Spring Return - from 2 to 1	61373	1205	2255

Start Stop Spring Return Switches

Description	Cat. No.	M.R.P. (₹) Per Unit	
		16A (SCB03)	25A (SEB03)
1 P Start Stop Spring Return	61300	935	1400
2 P Start Stop Spring Return	61388	1100	1805

Multi Step Switches

Multi Step Switches with OFF

		Description	Cat. No.	M.R.P. (₹) Per Unit								
				6A (SAB13)	10A (SBB13)	16A (SCB03)	25A (SEB03)	32A (SFB03)	40A (SGB03)	63A (SIB03)	100A (SKB03)	200A (SNB03)
	3 Way	1 P 3W	61060	240	380	480	PS Series Switches (Refer page no. 5)				5175	7865
		2 P 3W	61080	335	440	585	810	870	1250	1410	7610	12025
		3 P 3W	61100	485	595	995	1200	1305	1675	2175	9935	15790
		4 P 3W	61131	620	765	1205	1500	1645	2240	2615	12555	19800
	4 Way	1 P 4W	61061	285	345	695	850	940	1070	1450	7280	***
		2 P 4W	61081	485	635	825	895	1040	1530	1700	12200	***
		3 P 4W	61101	670	805	1305	1500	1720	1950	2615	18385	23745
		4 P 4W	61132	810	1190	1660	1800	1920	2535	3015	25800	38700
	5 Way	1 P 5W	61062	310	445	740	1060	1075	1100	1560	***	14775
		2 P 5W	61082	560	835	1070	1445	1700	1745	2180	***	***
		3 P 5W	61102	745	1525	1860	2050	2260	2520	2955	24475	***
	6 Way	1 P 6W	61063	405	555	775	1070	1095	1135	1735	***	***
		2 P 6W	61083	670	***	1135	1685	1950	***	3655	***	***
		3 P 6W	61103	930	***	2135	2415	2600	***	3040	***	***
	7 Way	1 P 7W	61064	415	625	840	1075	1130	1175	1820	***	***
		2 P 7W	61084	700	***	1110	1690	1800	2490	2885	***	***
		3 P 7W	61104	970	***	1800	2225	***	3400	4005	***	***
	8 Way	1 P 8W	61065	470	680	835	1475	1650	1855	3005	***	***
		2 P 8W	61085	765	***	1520	***	***	***	***	***	***
	9 Way	1 P 9W	61066	485	***	***	***	***	***	***	***	***
		2 P 9W	61086	870	***	2230	***	***	***	***	***	***
	10 Way	1 P 10W	61067	560	825	1165	2520	***	***	***	***	***
		2 P 10W	61087	900	***	***	***	***	***	***	***	***
	11 Way	1 P 11W	61068	670	***	1060	2755	***	***	***	***	***
		2 P 11W	61088	1020	***	***	***	***	***	***	***	***

*** Prices are available on request.

Rotary Switches

Multi Step Switches without OFF

	Description	Cat. No.	M.R.P. (₹) Per Unit								
			6A (SAB13)	10A (SBB13)	16A (SCB03)	25A (SEB03)	32A (SFB03)	40A (SGB03)	63A (SIB03)	100A (SKB03)	200A (SNB03)
	1 P 3W W/O OFF	61049	225	365	490	625	650	1000	1130	***	7980
3 Way	2 P 3W W/O OFF	61069	335	550	685	825	1240	1250	1475	7610	14370
	3 P 3W W/O OFF	61089	485	680	1025	1200	1305	1675	2175	9935	15940
	4 P 3W W/O OFF	61120	620	765	1190	1525	1625	3565	3935	***	20665
	1 P 4W W/O OFF	61050	255	395	590	750	785	1090	1515	5175	8155
4 Way	2 P 4W W/O OFF	61070	375	600	695	885	975	1305	1700	8000	12920
	3 P 4W W/O OFF	61090	515	635	1110	1415	1565	1710	2285	10535	17420
	4 P 4W W/O OFF	61121	715	830	1295	1710	1820	2285	3050	12945	22040
	1 P 5W W/O OFF	61051	310	410	640	845	1040	***	1560	6645	***
5 Way	2 P 5W W/O OFF	61071	560	745	890	1355	1700	***	***	***	16370
	3 P 5W W/O OFF	61091	745	1525	1695	1855	2035	2155	3040	***	20815
	1 P 6W W/O OFF	61052	325	670	800	940	1075	1260	1595	7610	14905
6 Way	2 P 6W W/O OFF	61072	655	785	1075	1680	1725	1745	2230	15170	19500
	3 P 6W W/O OFF	61092	795	1435	1825	2005	2080	2275	3040	25800	40785
	1 P 7W W/O OFF	61053	405	625	725	1110	***	***	***	13415	***
7 Way	2 P 7W W/O OFF	61073	700	***	1205	1710	***	***	3395	***	***
	3 P 7W W/O OFF	61093	970	***	1990	2595	***	***	4090	***	***
	1 P 8W W/O OFF	61054	415	740	900	1130	1190	1310	1920	12745	***
8 Way	2 P 8W W/O OFF	61074	740	1175	1520	1785	1930	***	3725	***	***
	3 P 8W W/O OFF	61094	1040	***	2170	2330	2380	2720	4295	***	***
	1 P 9W W/O OFF	61055	485	***	1440	***	***	***	***	***	***
9 Way	2 P 9W W/O OFF	61075	820	***	1510	***	***	***	***	***	***
	1 P 10W W/O OFF	61056	520	790	1600	***	***	***	***	***	***
10 Way	2 P 10W W/O OFF	61076	910	***	***	***	***	***	***	***	***
	1 P 11W W/O OFF	61057	960	***	***	***	***	***	***	***	***
11 Way	2 P 11W W/O OFF	61077	1095	***	***	***	***	***	***	***	***
	1 P 12W W/O OFF	61058	1015	***	1190	2850	3035	***	3810	***	***
12 Way	2 P 12W W/O OFF	61078	1190	***	3555	***	***	***	***	***	***

*** Prices are available on request.

Instrumentation Selector Switches



Ammeter Selector Switches (ASS)



Description	Cat. No.	Amps	M.R.P. (₹) Per Unit
Line Currents with OFF with CT	61325 SAB13TDYR	6A	335
Line Currents with OFF with CT	61325 SBB13TDYR	10A	355
Line Currents with OFF with CT	61325 SCB03TDYR	16A	520
Line Currents with OFF without CT	71000 SCB03TDYR	16A	1480
Direct Currents with OFF without CT	71000 SEB03TDYR	25A	1710
Direct Currents with OFF without CT	71000 SFB03TDYR	32A	2055
Direct Currents with OFF without CT	71000 SGB03TDYR	40A	3615
Direct Currents with OFF without CT	71000 SIB03TDYR	63A	3815

Voltmeter Selector Switches (VSS)

Description	Cat. No.	Amps	M.R.P. (₹) Per Unit
Voltage between Phases with OFF	61312 SAB13TDYR	6A	245
Voltage between Phases with OFF	61312 SBB13TDYR	10A	325
Voltage between Phases with OFF	61312 SCB03TDYR	16A	465



Description	Cat. No.	Amps	M.R.P. (₹) Per Unit
Voltage between Phases & Individual Phases to Neutral with OFF	61313 SAB13TDYR	6A	435
Voltage between Phases & Individual Phases to Neutral with OFF	61313 SBB13TDYR	10A	635
Voltage between Phases & Individual Phases to Neutral with OFF	61313 SCB03TDYR	16A	875

Description	Cat. No.	Amps	M.R.P. (₹) Per Unit
Voltage between Phase & Phase to Neutral without OFF	61314 SBB13TDYR	10A	630

Description	Cat. No.	Amps	M.R.P. (₹) Per Unit
Voltage between Phases & Phase to Neutral without OFF	61311 SAB13TDYR	6A	435

Ammeter & Voltmeter Combined Switch

Description	Cat. No.	Amps	M.R.P. (₹) Per Unit
Voltage between Phases to Neutral & Current of that Phase	61338 SBB13TDYR	10A	670

Rotary Switches

Motor Control Switches

61003

61211



61200

61217

61212

Description	Cat. No.	M.R.P. (₹) Per Unit						
		16A (SCB03)	25A (SEB03)	32A (SFB03)	40A (SGB03)	63A (SIB03)	100A (SKB03)	200A (SNB03)
ON - OFF Switch	61003	750	935	1040	1300	1870	6680	8700
FOR - OFF - REV Switch	61211	565	695	825	2145	2615	6655	10730
Star - Delta Switch	61200	750	985	1235	1885	2415	***	***
2 Speed for FOR - OFF - REV Switch	61217	***	1780#	***	2975	***	***	***
2 Speed forward Switch	61212	825	1620	2030	2545	3125	8325	9615

Supplied only with ball grip handle

Switches in Enclosure

73393, 71913

72244

Description	Cat. No.	Amps	M.R.P.
FOR - OFF - Rev in SS with ball grip handle	73393SCM17BGXB	16A	730
FOR - OFF - Rev in SS with ball grip handle	71913SEM17BGYR	25A	1110
FOR - OFF - Rev in SS with ball grip handle	71913SFM17BGYR	32A	1530
3 Pole ON - OFF in SS	72244SEM17TDYR	25A	965
3 Pole ON - OFF in SS	72244SFM17TDYR	32A	1320
3 Pole 2Way Without OFF in SS	61153SCM17TDYR	16A	1155

For any other rating requirement please contact nearest L&T branch office

Control your breaker remotely through TNC switch

Breaker Control Switches (Trip-Neutral-Close)

- 1NO+1NO, 2NO+2NC model available in 25A
- Barrel lock option available
- Lost motion contact (LMD) & Sequence Locking available

Breaker Control Switches (Trip - Neutral - Close)



Rating	Contact Arrangement	Mounting Type	Cat. No.	M.R.P. (₹) Per Unit
25A	1NO + 1NC	Standard	73257SEB03PGYR	1270
25A	1NO + 1NC	Standard	73257SEB03PGGB	1270
25A	1NO + 1NC	Barrel Lock	73257SEB90PGBB	1775
25A	2NO + 2NC	Standard	72009SEB03PGYR	1490
25A	2NO + 2NC	Standard	72009SEB03PGBB	1490
25A	2NO + 2NC	Standard	72009SEB03PGGB	1490
25A	2NO + 2NC	Barrel Lock	72009SEB90PGBB	2175

Other option such as sequence inter lock (SIL) & lost motion device (LMD) available on request.

Accessories (8538)



Front Plate Assembly

Description	Cat. No.	Size	M.R.P. (₹) Per Unit
Front Plate for 6 to 16A	FP16SQ48	48 x 48	35
Front Plate for 25 & 32A	FP32SQ64	64 x 64	70
Front Plate for 40 to 200A	FP200SQ88	88 x 88	105

Knobs & Handles

Tear Drop

Flag Handle

Ball Grip

Lever Handle

Description	Cat. No.	Size	M.R.P. (₹) Per Unit
Flag Handle for 16A	KNFHS2	48 x 48, 48 x 60	20
Flag Handle for 25 - 32A	KNFHS3	64 x 64, 64 x 80	35
Tear Drop for 6 - 16A	KNTDS1	48 x 48, 48 x 60	20
Tear Drop for 16 - 32A	KNTDS2	64 x 64, 64 x 80	35
Tear Drop for 40 - 400A	KNTDS3	88 x 88, 104 x 104	75
Ball Handle for 16 - 32A	HNBHS1	64 x 64, 64 x 80	95
Ball Handle for 40 - 63A	HNBHS2	88 x 88, 104 x 104	105
PG Handle for 16 - 32A	HNPGS1	64 x 64, 64 x 80	115
Lever Handle for 40 - 200A	HNLVS1	88 x 88, 104 x 104	145

Script Plate - Silver Finish
(For Black Front Plate Assembly only)

Description	Cat. No.	Size	M.R.P. (₹) Per Unit
Silver Finish 48 x 48 mm	SFSQ48	48 x 48	21
Silver Finish 64 x 64 mm	SFSQ64	64 x 64	24
Silver Finish 88 x 88 mm	SFSQ88	88 x 88	30
Silver Finish 104 x 104 mm	SFSQ104	104 x 104	53

Wall Type Mounting Boxes
(upto 32A - maximum 4 Contacts)

Description	Cat. No.	M.R.P. (₹) Per Unit
Plastic / Polycarbonate Enclosure B17 16A upto 3 Stage / 25A / 32A upto 2 Stage (SM Box)	WMBABSS	715
Aluminium Enclosure B17 16A upto 3 Stage / 25A upto 2 Stage	WMBAL	1185
SS Enclosure M17 16A - 32A upto 4 Stage	WMBSS	445

Note: Switches to be ordered separately.

B31 ABS Enclosure

Special Front Plate Assembly

Description	Cat. No.	Size	M.R.P. (₹) Per Unit
SPL IND Plates upto 16A	FPRT4860	48 x 60	70
SPL IND Plates for 16 - 32A	FPRT6480	64 x 80	115

Script Plate (marking plate)

Description	Cat. No.	Size	M.R.P. (₹) Per Unit
Script Plate for 6 - 16A	SPSQ48	48 x 48	20
Script Plate for 16 - 32A	SPSQ64	64 x 64	25
Script Plate for 40 - 200A	SPSQ88	88 x 88	30
Script Plate for 6 - 16A	SPRT4816	48 x 16	10
Script Plate for 6 - 32A	SPRT6416	64 x 16	15

Mounting Plates
(used for Back Fixing Plate)

Description	Cat. No.	Size	M.R.P. (₹) Per Unit
Rear MTG Plate for 6 - 16A	MPSQ48	48 x 48	15
Rear MTG Plate for 25 - 32A	MPSQ64	64 x 64	25
Rear MTG Plate for 40 - 63A	MPSQ88	88 x 88	65
Rear MTG Plate for 80 - 400A	MPSQ104	104 x 104	115
DIN Rail Attachment upto 32A	B21DIN35	-	105

Shrouding Cover
(Maximum 6 Contacts Round Type)

Description	Cat. No.	M.R.P. (₹) Per Unit
Shrouding Cover for 6 - 10A	SHCS1	75
Shrouding Cover for 16A	SHCS2	75
Shrouding Cover for 25 - 32A	SHCS3	110
Shrouding Cover for 40 - 63A	SHCS4	115
Special Cover for Extended Termination 80 - 400A (maximum 2 Contact Stage)	SHCS5	865

Rotary Switches

Ordering Code for Rotary Switches

Example for :	1. Programme Code					2. Type	3. Ampere	4. Mounting			5. Knob		6. Colour	
25A 3 Pole														
ON - OFF Switch	6	1	1	9	7	S	E	B	0	3	T	D	Y	R

1. Programme Code

Programme	Programme Code
Isolators	Pg 1
Changeovers Switches	Pg 1
Spring Return Switches	Pg 2
Multistep Switches with OFF	Pg 3
Multistep Switches without OFF	Pg 4
Instrumentation Switches	Pg 5
Motor Control Switches	Pg 6
Switches in SS Enclosure	Pg 6
Breaker Control Switches	Pg 6

2. Type Selection

Type	Code
S-Series (6 to 400A)	S
Touch Proof (6 to 16A)	T
Rear Access Termination (16 to 63A)	R
Phase Selector Only for 1 Pole 3 Way with OFF (25 to 63A)	P
DC Switches (16 to 500A)	D

S Series
Open Version

TP Series
Touch Proof

Touch Proof & RT Series
Rear Termination

3. Ampere Selection

Ampere	Code	Ampere	Code
6	A	100	K
10	B	125	L
16	C	160	M
20	D	200	N
25	E	250	O
32	F	300	P
40	G	400	Q
50	H	500	R
63	I	600	S
80	J	800	T

4. Mounting Style

B03/B13
Standard Mounting

B19/B14
Single Hole Mounting

B33
Round Padlock

B30
Rectangular Padlock

B63
Key Lockable Type

B90
Key Lockable Type

B53
Key Lockable Type

B17
ABS Enclosure

M17
Metal Enclosure

B02
Rear/Base Mounting

B21
DIN Rail Mounting

B42
Rear Mounting with Door Interlock

5. Knob / Handle Selection

Code - TD
Tear Drop

Code - FH
Flag Knob

Code - PG
Pistol Grip

Code - BG
Ball Grip

Code - LV
Lever Handle

6. Color Combination Selection Table

Code - YR
Yellow Front Plate
Red Knob

Code - GB
Grey Front Plate
Black Knob

Code - BB
Black Front Plate
Black Knob

Code - AB
Aluminum Foil with
Black Knob

Front Plate

Standard Style	Frame Size	Bigger Style
Current Ratings 6/10 Amps		Current Ratings ---
16/20 Amps		6/10 Amps
25/32 Amps		16/20 Amps
S40 Amps & above		25/32 Amps
—		S40 Amps & above

Note: 1. For ratings of 6/10A, standard mounting style is B13
2. Single hole mounting equivalent of B03 is B19 and B13 is B14.

Mounting Feasibility

Mounting Code	Description	Feasibility					
		6/10A	16/20A	25/32A	40/63A	80/100/ 125A	200/ 400A
B03	Front Mounting, Standard Mounting plate		✓	✓	✓	✓	✓
B13	Front Mounting with next size plate	✓	✓	✓	✓	✓	✓
B00	Front Mounting 48 x 48 plate for 25/32 A and 64 x 64 plate for 40/63A			✓	✓		
B19	Single Hole Mounting 32 x 32 plate for 6/10A only 48 x 48 Plate for 16-32A	✓	✓	✓			
B14	Single Hole Mounting 48 x 48 plate for 6/10A	✓					
B33	Front Mounting with Round Padlock for 2 Position (for Isolators)		✓	✓	✓	✓	✓
B30	Front Mounting with Rectangular Padlock 2 Position (for Isolators)		✓	✓	✓	✓	✓
B63	Key Lockable type (Handle/Knob)		✓	✓	✓		
B90	Center Key Lock (Pistol grip Handle in black color only)		✓	✓			
B02	Rear / (Back/Base) Mounting	✓	✓	✓	✓	✓	✓
B21	DIN Rail Mounting on 35 mm Rail 6-32 Amps	✓	✓	✓			
B32	Rear / Base Mounting, Door Interlock + Rectangular Padlock (B30+B42)		✓	✓	✓	✓	✓
B34	Rear / Base Mounting, Door Interlock + Round Padlock (B33+B42)		✓	✓	✓	✓	✓
B41	Rear Mounting with Clutch Mechanism on Door (Door Open in all position without Interlock)		✓	✓	✓	✓	✓
B42	Rear Mounting with Interlock Mechanism on Door		✓	✓	✓	✓	✓
F47	Door Clutch, Mounting Plate at front		✓	✓	✓	✓	✓
B17	Polycarbonate Enclosure Max stages	upto 4	upto 4	upto 4	upto 2		
B31	Polycarbonate Enclosure with Round Padlock (B33+B17) Max stages		upto 2	upto 2	upto 2		
M17	Metal Enclosure Max stages		upto 4	upto 4			✓
A17	Aluminium Enclosure Max stages		upto 3	upto 2			
B40	Single Hole Mounting with Padlock 48 x 48 Plate For 16-32A		✓	✓			
B43	Single Hole Mounting with Center key 48 x 48 Plate for 16-32A		✓	✓			
B45	Single Hole Mounting with Round Ring with Knob 16A-32A		✓	✓			

Guarantee :
All prices are maximum retail price basis inclusive GST and any other Tax as applicable.
All the products listed in the price list carry a warranty, against manufacturing defects for a period of 18* months from the date of purchase.
The warranty is however subject to provision of proper usage, effective maintenance, it does not cover faulty operation and willful or accidental damage.
The user needs to take adequate precautions to eliminate these conditions. The manufacturer shall not be liable for any consequential loss, injury or damages attributable to defect or failure of its products.

Product development is a continuous process and hence data / prices given are subject to change without notice. Disputes if any are subject to Coimbatore jurisdiction only.

Salzer Electronics Limited

Samichettipalayam, Jothipuram Post, Coimbatore 641047. INDIA

Tel : +91-422- 4233600 | e-mail : sales@salzergroup.com

For Product Enquiries **1800 1030 161**

www.salzergroup.com

SL/CPL(16)/02/2025