salzer

PRICE LIST

Effective From 13.02.2026

Load Break Switch

DC Isolators

Cable Ducts

Relays / Relay Modules

Terminals

Limit Switches

Plugs & Sockets

Agri Contactors

DP Contactors

MCB's

DC MCB's

SPD / Combiner Box

www.salzergroup.com

salzer

Established in 1985 in a time-bound collaboration with Saelzer Schaltegerate Fabrik GmbH to manufacture rotary switches, and headquartered in Coimbatore, Salzer has grown into an independent multi-product entity with a wide basket of Electrical Products, covering a variety of applications for the Domestic, Industrial & Automobile segments.

With a wide network and business association with a major engineering conglomerate on specific product ranges in domestic market, Salzer products are also available as a preferred choice in over 40 countries worldwide.

Relays (8536)

- AC & DC relays from 3A to 100 Amps from 1 to 4 pole
- DC power relays upto 125 Amps
- Miniature, General purpose, Power & Automotive Relays
- Termination via Solder, PCB mounted, Plug-In and Screw type terminals
- Sliver contacts for enhanced life, **ERDA Tested & complies with JSS standards**

M SERIES - MSP (Equivalent to MY)

MSP	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
Type MSP (AC/DC) with LED at 240V AC/24V DC Plug in Enclosed Version - 5 Amps Resistive 2 Pole/3 Pole/4 Pole	MSP2P12	2P	12V DC	20	244
	MSP2P24	2P	24V DC	20	244
	MSP2P48	2P	48V DC	20	277
	MSP2P110	2P	110V DC	20	255
	MSP2P12A	2P	12V AC	20	271
	MSP2P24A	2P	24V AC	20	266
	MSP2P110A	2P	110V AC	20	299
	MSP2P240A	2P	240V AC	20	283
	MSP3P12	3P	12V DC	20	255
	MSP3P24	3P	24V DC	20	255
	MSP3P110	3P	110V DC	20	271
	MSP3P24A	3P	24V AC	20	310
	MSP3P110A	3P	110V AC	20	316
	MSP3P240A	3P	240V AC	20	332
	MSP4P12	4P	12V DC	20	255
	MSP4P24	4P	24V DC	20	255
	MSP4P48	4P	48V DC	20	283
	MSP4P110	4P	110V DC	20	277
	MSP4P12A	4P	12V AC	20	327
	MSP4P24A	4P	24V AC	20	316
	MSP4P110A	4P	110V AC	20	316
	MSP4P240A	4P	240V AC	20	327

MSP - Test Button	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
Approvals 2 Pole - 12 Amps/4 Pole - 7 Amps @ 277 V AC/30 V DC with Flag & LED-UL Marked	MSP2P012D12TNE	2P	12V DC	20	306
	MSP2P024D12TNE	2P	24V DC	20	306
	MSP2P110D12TNE	2P	110V DC	20	317
	MSP2P012A12TNE	2P	12V AC	20	329
	MSP2P024A12TNE	2P	24V AC	20	329
	MSP2P110A12TNE	2P	110V AC	20	356
	MSP2P240A12TNE	2P	240V AC	20	345
	MSP4P012D07TNE	4P	12V DC	20	345
	MSP4P024D07TNE	4P	24V DC	20	345
	MSP4P110D07TNE	4P	110V DC	20	369
	MSP4P012A07TNE	4P	12V AC	20	419
	MSP4P024A07TNE	4P	24V AC	20	391
	MSP4P110A07TNE	4P	110V AC	20	414
	MSP4P240A07TNE	4P	240V AC	20	419

Relays (8536)

M SERIES - MKG

MKG -	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
MKG (AC/DC) with LED indication - 5 Amps Resistive at 240V AC/24 DC Plug in Enclosed Version	MKG2P06	2P	6V DC	10	332
	MKG2P12	2P	12V DC	10	293
	MKG2P18	2P	18V DC	10	349
	MKG2P24	2P	24V DC	10	298
	MKG2P30	2P	30V DC	10	394
	MKG2P48	2P	48V DC	10	321
	MKG2P110	2P	110V DC	10	354
	MKG2P220	2P	220V DC	10	405
	MKG3P12	3P	12V DC	10	371
	MKG3P18	3P	18V DC	10	377
	MKG3P24	3P	24V DC	10	377
	MKG3P30	3P	30V DC	10	461
	MKG3P48	3P	48V DC	10	444
	MKG3P110	3P	110V DC	10	433
	MKG3P220	3P	220V DC	10	579
	MKG2P06A	2P	06V AC	10	326
	MKG2P12A	2P	12V AC	10	304
	MKG2P24A	2P	24V AC	10	298
	MKG2P110A	2P	110V AC	10	298
	MKG2P240A	2P	240V AC	10	383
	MKG3P12A	3P	12V AC	10	366
	MKG3P24A	3P	24V AC	10	354
	MKG3P110A	3P	110V AC	10	366
	MKG3P240A	3P	240V AC	10	439

M SERIES - MKP

MKP	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
Type MKP (AC/DC) with LED indication -10 Amps Resistive at 240V AC/24V DC Plug in Enclosed Version	MKP2P06	2P	06V DC	10	338
	MKP2P12	2P	12V DC	10	332
	MKP2P24	2P	24V DC	10	338
	MKP2P48	2P	48V DC	10	371
	MKP2P110	2P	110V DC	10	371
	MKP2P220	2P	220V DC	10	501
	MKP3P12	3P	12V DC	10	411
	MKP3P24	3P	24V DC	10	411
	MKP3P48	3P	48V DC	10	461
	MKP3P110	3P	110V DC	10	484
	MKP3P220	3P	220V DC	10	664
	MKP2P06A	2P	06V AC	10	360
	MKP2P12A	2P	12V AC	10	354
	MKP2P24A	2P	24V AC	10	354
	MKP2P110A	2P	110V AC	10	366
	MKP2P240A	2P	240V AC	10	473
	MKP3P12A	3P	12V AC	10	467
	MKP3P24A	3P	24V AC	10	467
	MKP3P110A	3P	110V AC	10	456
	MKP3P240A	3P	240V AC	10	523

M SERIES - MKP

MKP - Test Button	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
Approvals Type MKP (AC/DC) with LED indication -10 Amps Resistive at 277V AC/24 DC Plug in Enclosed Version with Test Button/Mechanical Indicator	MKP2P012D10TNE	2P	12V DC	10	437
	MKP2P024D10TNE	2P	24V DC	10	437
	MKP2P110D10TNE	2P	110V DC	10	477
	MKP3P012D10TNE	3P	12V DC	10	523
	MKP3P024D10TNE	3P	24V DC	10	523
	MKP3P110D10TNE	3P	110V DC	10	592
	MKP2P024A10TNE	2P	24V AC	10	460
	MKP2P110A10TNE	2P	110V AC	10	472
	MKP2P240A10TNE	2P	240V AC	10	587
	MKP3P024A10TNE	3P	24V AC	10	575
	MKP3P110A10TNE	3P	110V AC	10	569
	MKP3P240A10TNE	3P	240V AC	10	638

Sockets for MK / MSP Series (8538)

SOCKETS	Cat No.	Coil Volts	Min. Pack	M.R.P. (₹) Per Unit
	MK08C	8 Pin for 2 C/O & Closed Terminals for "MKG/MKP" Relays	20	76
	MK11C	11 Pin for 3 C/O & Closed Terminals for "MKG/MKP" Relays	20	110
	MSP08C	Closed Terminals Socket for MSP - 2 Pole	20	112
	MSP14C	Closed Terminals Socket for MSP - 4 Pole	20	147
	MSP14P	PCB Socket for MSP - 4 Pole	50	55

UL Sockets for MK / MSP Series available on request

M SERIES - MIC

MIC	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 MIC (AC/DC) - 12 Amps Resistive at 240V AC/24V DC/ Enclosed solder/ PCB Version	MIC2P12	2P	12V DC	20	270
	MIC2P24	2P	24V DC	20	281
	MIC3P12	3P	12V DC	20	315
	MIC3P24	3P	24V DC	20	321

Relays

M SERIES - MSC

MSC	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
MSC (AC/DC) - 5 Amps Resistive at 240V AC/24V DC Enclosed Solder Version	MSC1P12	1P	12V DC	10	169
	MSC1P18	1P	18V DC	10	180
	MSC1P24	1P	24V DC	10	174
	MSC2P06	2P	06V DC	10	259
	MSC2P12	2P	12V DC	10	236
	MSC2P18	2P	18V DC	10	253
	MSC2P24	2P	24V DC	10	248
	MSC2P48	2P	48V DC	10	298
	MSC3P06	3P	06V DC	10	332
	MSC3P12	3P	12V DC	10	293
	MSC3P18	3P	18V DC	10	304
	MSC3P24	3P	24V DC	10	293
	MSC3P48	3P	48V DC	10	399
	MSC3P110	3P	110V DC	10	377
	MSC2P240A	2P	240V AC	10	371
	MSC3P240A	3P	240V AC	10	411

H SERIES - HSC

HSC	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
HSC (AC/DC) - 10 Amps Resistive at 240V AC/24V DC Enclosed Solder Version	HSC1P12	1P	12V DC	10	236
	HSC1P18	1P	18V DC	10	264
	HSC1P24	1P	24V DC	10	248
	HSC2P12	2P	12V DC	10	321
	HSC2P18	2P	18V DC	10	383
	HSC2P24	2P	24V DC	10	338
	HSC3P12	3P	12V DC	10	405
	HSC3P24	3P	24V DC	10	422
	HSC2P240A	2P	240V AC	10	512
	HSC3P240A	3P	240V AC	10	579

H SERIES - HSR

HSR	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
HSR (AC/DC) - 16 Amps Resistive at 240V AC/24V DC/ Enclosed Solder Version	HSR1P12	1P	12V DC	10	253
	HSR1P18	1P	18V DC	10	276
	HSR1P24	1P	24V DC	10	281
	HSR2P12	2P	12V DC	10	360
	HSR2P18	2P	18V DC	10	399
	HSR2P24	2P	24V DC	10	371
	HSR3P12	3P	12V DC	10	461
	HSR3P18	3P	18V DC	10	540
	HSR3P24	3P	24V DC	10	495
	HSR2P240A	2P	240V AC	10	641
	HSR3P240A	3P	240V AC	10	681

PRC SERIES - Power Relays

PRC	Cat No.	No of Poles	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
PRC 30 (AC/DC) - 30 Amps Resistive at 240V AC/24V DC/ Enclosed	PRC301P12	1P	12V DC	4	422
	PRC301P24	1P	24V DC	4	428
	PRC302P12	2P	12V DC	4	568
	PRC302P24	2P	24V DC	4	574
	PRC303P12	3P	12V DC	4	754
	PRC303P24	3P	24V DC	4	759
	PRC301P240A	1P	240V AC	4	461
	PRC302P240A	2P	240V AC	4	608
	PRC303P240A	3P	240V AC	4	776
PRC 40 (AC/DC) - 40 Amps Resistive at 240V AC/24V DC/ Enclosed	PRC401P12	1P	12V DC	4	428
	PRC401P24	1P	24V DC	4	433
	PRC401P48	1P	48V DC	4	596
	PRC401P240A	1P	240V AC	4	467
PRC 60 (AC/DC) - 60 Amps Resistive at 240V AC/24V DC/ Enclosed PRC 80 (AC/DC)-80 Amps Resistive at 240V AC/24V DC/ Enclosed PRC 100 (AC/DC) - 100 Amps Resistive at 240V AC/24V DC/ Enclosed	PRC601P12	1P	12V DC	4	484
	PRC601P24	1P	24V DC	4	495
	PRC601P240A	1P	240V AC	4	591
	PRC801P12	1P	12V DC	3	575
	PRC801P24	1P	24V DC	3	591
	PRC801P240A	1P	240V AC	3	774
	PRC1001P12	1P	12V DC	3	790
	PRC1001P24	1P	24V DC	3	828
	PRC1001P240A	1P	240V AC	3	849

Relay Modules (8536)

1 & 2 Changeovers with 2,4,6 & 8 channels



1 C/O RELAY MODULE

	Description	Modules	Cat No.	MRP (₹) Per Unit
	1 CO, 24VDC with OMRON Relay	2	RMS021P24	525
	1 CO, 24VDC with OMRON Relay	4	RMS041P24	955
	1 CO, 24VDC with OMRON Relay	8	RMS081P24	1300

1 C/O RELAY MODULE

	Description	Modules	Cat No.	MRP (₹) Per Unit
	1 CO, 110VAC with OMRON Relay	4	RMS041P110AC	1850
	1 CO, 110VAC with OMRON Relay	8	RMS081P110AC	3320
	1 CO, 230VAC with OMRON Relay	2	RMS021P230AC	1070
	1 CO, 230VAC with OMRON Relay	4	RMS041P230AC	2065
	1 CO, 230VAC with OMRON Relay	8	RMS081P230AC	4030

2 C/O RELAY MODULE

	Description	Modules	Cat No.	MRP (₹) Per Unit
	2 CO, 24VDC with OMRON Relay	2	RMS022P24	690
	2 CO, 24VDC with OMRON Relay	4	RMS042P24	1195
	2 CO, 24VDC with OMRON Relay	8	RMS082P24	2305

2 C/O RELAY MODULE

	Description	Modules	Cat No.	MRP (₹) Per Unit
	2 CO, 230VAC with OMRON Relay	2	RMS022P230AC	1220
	2 CO, 230VAC with OMRON Relay	4	RMS042P230AC	2265
	2 CO, 230VAC with OMRON Relay	8	RMS082P230AC	4515

* Other Coil Voltages offered on request

Other Products

Toroidal Transformers / Current Transformers

Single Phase 15VA - 30KVA & Three Phase
1KVA - 120KVA. CT's : Accuracy Class of 0.2 to 3 with burden of 5 to 30VA, Primary Current upto 4000A & Secondary of 5A / 1A

Transformers & Chokes / Inductors / Reactors

Dry type Magnetics - VPI, AN - AF - Water Cooling etc.
Transformers Range: 1KVA to 1MVA, 1Phase and 3Phase
Chokes / Inductors / Reactors Range:
1KVAr to 1MVA 1Phase and 3 Phase

Wires & Cables - Wire Harness / Power Cords

Range from 0.5 sq mm to 300 sq mm
Building Wires, Flexible Wires, Multi Core Cables, Flat Cables, HFFR, FRLS, ZHFR Wires, UL Rated Wires, Shielded & Braided Wires
Bunched Conductors, Tinned Copper wires & Customised cables.
Wire Harness for: Industrial Applications, Consumer Electronics, Automobile Industries, Medical Electronics.



LAN Cables & CCTV Cables

Horizontal Cable specification testing Lab
UL Listed – CM Flame Rating
ETL verified to ANSI / TIA-568.2-D Cat6
FR PVC, ROHS & REACH Compliance
Shielded / Unshielded Cat5e, Cat6, Cat6A & Cat7
CCTV Cables - for High performance Hybrid Data Transfer offered in 3+1 & 4+1 type

MCB'S & Distribution Boards

MCB's are offered in various current ratings from 0.5 to 63 Amps. Enclosures, Plug & Sockets, Single Phase DB, Three Phase DB, Vertical DB, Phase Selector DB, 7 & 8 Segment DB's etc.

Sensors

Speed Sensors : Active/Passive Sensors with Speed range upto 30,000 rpm in Square/Sine wave output.
Position Sensors : Active/Passive Sensors with Rotation angle 0-90/0-180 & 0-360 with Analogue/Resistive output signal
Temperature Sensors : NTC/PTC types with Resistive output signal
Pressure Sensors : Absolute/Relative pressure from 0 to 1000 bar with Ratiometric Voltage/current output signal, with different ingress protection of IP65/IP67/IP69K

SPD

Combiner Box

DC MCBs

SOLAR PRODUCTS

SPD : AC (2P/4P - 320V), DC : 2P-600V, 3P-1000V IEC 61643-1 Switching Contact T2-AC

COMBINER BOX : Single Phase ACDB 1 to 6kW
DCDB 1 IN 1 OUT 500V DC

DC MCB : 6kA asper IEC 60947-2
1P-250V DC, 2P-500V DC & 4P-1000V DC

SMART METER

1 Phase : 5-30 / 10 – 60A smart meter with GPRS/RF/NB – IOT communication with DLMS Compliance

3 Phase WC 10 - 60/ 20 – 100Amps smart meter with GPRS/RF/NB – IOT communication with DLMS Compliance

3 Phase LT-CT – 5A smart meter with GPRS/RF/NB – IOT communication with DLMS Complaince

DC Fast Chargers

AC EV Chargers

EV CHARGERS

AC Charger – 3.3,10,14,7.4,15 & 22kW
DC Charger – 60,90,120,240 & 360kW
Charging method through RF ID and Wallet.

Guarantee :
All prices are maximum retail price basis inclusive GST and any other Tax as applicable.
All the products listed in the price list carry a warranty, against manufacturing defects for a period of 18* months from the date of purchase.
The warranty is however subject to provision of proper usage, effective maintenance, it does not cover faulty operation and willful or accidental damage.
The user needs to take adequate precautions to eliminate these conditions. The manufacturer shall not be liable for any consequential loss, injury or damages attributable to defect or failure of its products.

Product development is a continuous process and hence data / prices given are subject to change without notice. Disputes if any are subject to Coimbatore jurisdiction only.

Salzer Electronics Limited

Samichettipalayam, Jothipuram Post, Coimbatore 641047. INDIA

Tel : +91-422- 4233600 | e-mail : sales@salzergroup.com

For Product Enquiries **1800 1030 161**

www.salzergroup.com

SL/CPL(17)/02/2026